



SAND MATTERS!

MOVE IT & MIX IT EFFICIENTLY

PLUG FLO® PNEUMATIC TRANSPORTERS & STATORMIX® CORE SAND MIXERS




PLUG FLO®

- Improve Sand Casting Quality
- Eliminate Sand Degradation
- Reduce Air Consumption
- Minimal Maintenance
- Efficient Sand Transfer

STATORMIX®

- High Core Strength
- Accurate & Reliable Binder Dosing System
- Reduce Binder Consumption
- Wear Resistant Lining
- Easily Process Partial Batches



Klein Palmer Inc., is a Palmer Manufacturing & Supply, Inc., Company.
We are Palmer's metal casting, rail sanding and industrial processing division,
offering a wide variety of heavy-duty processing equipment and services.

800.457.5456 • palmermfg.com

RETHINKING THE BATCH MIXER FOR CORE PRODUCTION



JIM GAULDIN
President
Klein Palmer Division

ARTICLE TAKEAWAYS:

- When to use batch mixers for core making
- Preventing agglomeration
- Achieving uniform binder distribution

In typical foundry applications where large molds are filled, it is not uncommon to have a continuous mixer providing high volumes of sand for flasks and mold boxes where leading and trailing sand is minimal loss when compared with the amount of sand needed to fill the boxes and the speed needed to accomplish the task. However, when core making is considered, the smaller amount of sand used would quickly show strength issues from the leading and trailing sand mix of a continuous mixer. The leading and trailing sands can be discarded or a batch mixer can be considered for the core making process.

In many foundry operations, the batch mixer is treated as a necessary step—something that combines materials before moving on to the “real” work of production. But this perspective overlooks one critical truth: how you mix defines what you produce.

The materials reviewed here challenge that assumption and introduce a more valuable approach. They position the batch mixer not as a simple piece of equipment, but as a control center for quality, efficiency, and cost performance. By rethinking this core process, foundries can unlock measurable improvements across the entire operation.

START WITH THE END IN MIND

Every effective process begins with a clear definition of success. In core production, that success is not determined by mixing time or equipment throughput—it is defined by how the core performs from creation through final casting.

The production cycle includes mixing, forming, curing, storage, mold assembly, pouring, and removal. A properly engineered core must strike a balance: it needs sufficient strength to withstand handling and molten metal, yet must remain removable after casting is complete.

This balance begins in the batch mixer. If mixing is inconsistent, every downstream step inherits that inconsistency.

Continued on next page

THE CORE CHALLENGE: ACHIEVING UNIFORM BINDER DISTRIBUTION

At the heart of every successful mix is binder coverage. Each grain of sand must receive a consistent and controlled amount of binder to create reliable bonding.

Deviation in either direction creates problems:

- Too little binder results in fragile cores that can fail during handling or pouring
- Too much leads to overly rigid cores that are difficult and costly to remove. The batch mixer must therefore do more than combine materials—it must deliver precision at scale.

This is where advanced systems, including designs such as the StatorMix, focus their strength. By emphasizing uniform distribution and repeatable processes, they help eliminate the variability that forces operators to compensate with excess material or rework.

THE HIDDEN INEFFICIENCY: AGGLOMERATION

One of the most overlooked issues inside a batch mixer is agglomeration, which is the formation of clumps that prevent even mixing.

When dry materials cluster together:

- Binder cannot penetrate uniformly
- Coating becomes inconsistent
- Weak zones are created within the core
- The result is a mix that looks acceptable on the surface but performs inconsistently in practice.

The solution requires a shift in thinking. Rather than simply blending materials, effective batch mixing must include active de-agglomeration—breaking apart clustered particles before applying binder.

WHY EQUIPMENT DESIGN CHANGES EVERYTHING

Not all batch mixers operate the same way. The way material moves inside the mixer determines the final outcome far more than power or speed alone.

Conventional designs can introduce issues such as:

- Slip planes where materials slide without mixing
- Dead zones where particles receive little agitation
- Friction zones that generate unwanted heat

These conditions reduce efficiency and create variability. More advanced designs address these issues by:

- Forcing continuous material movement
- Eliminating inactive zones
- Increasing contact between particles and binder

For example, the StatorMix uses internal geometry and agitation points to continuously move material between zones, lifting and redistributing it to promote uniform coating and break apart clumps. This approach demonstrates a key principle: Effective mixing is driven by controlled movement—not just mechanical force.

PRECISION DOSING:

The Key to Cost and Consistency

Binder is both critical to performance and one of the most expensive components in the process. This makes accurate dosing essential.

Traditional dosing systems can struggle with variability due to fluid dynamics and indirect measurement methods.

Improved systems focus on direct, repeatable volumetric control, ensuring that each batch receives the correct amount of binder regardless of fluid behavior. These approaches can achieve high accuracy and consistency, reducing waste and improving product quality.

For batch mixer operations, this translates into:

- Lower material costs
- More consistent cores
- Reduced need for process adjustments

DESIGN FOR RELIABILITY AND EASE OF MAINTENANCE

High performance in a batch mixer must be supported by practical, day-to-day usability.

Modern systems are designed to:

- Automate cleaning between batches
- Provide easy access for inspection and maintenance
- Simplify replacement of wear components
- Reduce buildup and residual material

These features improve uptime and ensure that the mixer continues to perform as intended without introducing variability over time.

Flexibility: Matching Production Without Waste

Production demands fluctuate, and the batch mixer must be able to adapt without sacrificing quality.

Flexible systems allow for:

- Scalable capacity based on required output
- Modular configurations for larger operations
- Partial batch processing without loss of consistency

This adaptability reduces overproduction and ensures that processes remain aligned with actual demand, not theoretical capacity.

What High-Performance Mixing Looks Like

When the right principles are applied, the batch mixer delivers more than just combined materials—it produces consistent, predictable results.

An optimized system provides:

- Uniform binder distribution
- Effective de-agglomeration
- Minimal residual material
- Reduced energy consumption
- Low maintenance requirements
- Repeatable batch quality

These outcomes represent a shift from reactive problem-solving to controlled, process-driven manufacturing.

FROM ROUTINE TO COMPETITIVE ADVANTAGE

The biggest takeaway is not about any one machine—it is about how the batch mixer is viewed within the operation. It is not a supporting step. It is a defining step.

When foundries focus on precision binder application, effective particle dispersion, and consistent process control they move beyond simply producing cores. They build a process that delivers reliability, efficiency, and cost control at a higher level.

Every operation is looking for ways to improve output and reduce cost. Often, the most impactful changes come from revisiting something familiar and seeing it differently. The batch mixer is one of those opportunities.

By applying these principles and adopting solutions designed to address real mixing challenges, foundries can transform a routine process into a measurable competitive advantage. Simple, better mixing produces better cores.



Contact:
JIM GAULDIN
jim.gauldin@palmermfg.com